RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/565 230
Source:	1FnD
Date Processed by STIC:	11/28/06
•	

ENTERED

CRF Errors Edited by the STIC Systems Branch

Serial I	Number: 10/565,230	CRF Edit Date: 1/28/0 Edited by:
	Realigned nucleic acid/amino acid numbers/text text "wrapped" to the next line	in cases where the sequence
·	Corrected the SEQ ID NO. Sequence numbers of	edited were:
	Inserted or corrected a nucleic number at the en NO's edited:	d of a nucleic line. SEQ ID
	Deleted: invalid beginning/end-of-file text;	page numbers
	Inserted mandatory headings/numeric identifier	rs, specifically:
	Moved responses to same line as heading/numer	ic identifier, specifically:
<u>J</u>	Other: 	evi edestifició

Revised 09/09/2003



IFWO

RAW SEQUENCE LISTING DATE: 11/28/2006
PATENT APPLICATION: US/10/565,230 TIME: 17:11:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

```
3 <110> APPLICANT: TRANSGENE SA
            ERBS, Philippe
     6 <120> TITLE OF INVENTION: Polypeptide having an improved Cytosine deaminase
             activity .
     9 <130> FILE REFERENCE: D21447
C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/565,230
C--> 11 <141> CURRENT FILING DATE: 2006-01-20
     11 <150> PRIOR APPLICATION NUMBER: PCT/IB2004/002505
    12 <151> PRIOR FILING DATE: 2004-06-29
    14 <150> PRIOR APPLICATION NUMBER: US 60/508 274
    15 <151> PRIOR FILING DATE: 2003-10-06
    17 <150> PRIOR APPLICATION NUMBER: EP 03/360 087
    18 <151> PRIOR FILING DATE: 2003-07-21
    20 <160> NUMBER OF SEQ ID NOS: 2
    22 <170> SOFTWARE: PatentIn Ver. 2.1
    24 <210> SEO ID NO: 1
    25 <211> LENGTH: 373
     26 <212> TYPE: PRT
    27 <213> ORGANISM: Artificial Sequence
     29 <220> FEATURE:
     30 <223> OTHER INFORMATION: Description of Artificial Sequence : Fusion
             protein having a CDase activity
     33 <300> PUBLICATION INFORMATION:
    35 <400> SEQUENCE: 1
     36 Met Val Thr Gly Gly Met Ala Ser Lys Trp Asp Gln Lys Gly Met Asp
     37 1
                          5
                                             10
     39 Ile Ala Tyr Glu Glu Ala Ala Leu Gly Tyr Lys Glu Gly Gly Val Pro
                                         25
     42 Ile Gly Gly Cys Leu Ile Asn Asn Lys Asp Gly Ser Val Leu Gly Arg
     45 Gly His Asn Met Arg Phe Gln Lys Gly Ser Ala Thr Leu His Gly Glu
                                 55
     48 Ile Ser Thr Leu Glu Asn Cys Gly Arg Leu Glu Gly Lys Val Tyr Lys
                             70
     51 Asp Thr Thr Leu Tyr Thr Thr Leu Ser Pro Cys Asp Met Cys Thr Gly
                         85
                                             90
     54 Ala Ile Ile Met Tyr Gly Ile Pro Arg Cys Val Val Gly Glu Asn Val
                    100
                                        105
     57 Asn Phe Lys Ser Lys Gly Glu Lys Tyr Leu Gln Thr Arg Gly His Glu
                                    120
     58
                115
     60 Val Val Val Asp Asp Glu Arg Cys Lys Lys Ile Met Lys Gln Phe
                                135
     63 Ile Asp Glu Arg Pro Gln Asp Trp Phe Glu Asp Ile Gly Glu Ala Ser
```

RAW SEQUENCE LISTING DATE: 11/28/2006
PATENT APPLICATION: US/10/565,230 TIME: 17:11:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

64 145			150					155					160
66 Glu Pro P	he Lys	Asn '	Val	Tyr	Leu	Leu	Pro	Gln	Thr	Asn	Gln	Leu	Leu
67		165					170					175	
69 Gly Leu T	yr Thr	Ile :	Ile	Ser	Asn	Lys	Asn	Thr	Thr	Arg	Pro	Asp	Phe
70	180					185					190		
72 Ile Phe T	yr Ser	Asp 2	Arg	Ile	Ile	Arg	Leu	Leu	Val	Glu	Glu	Gly	Leu
	95				200					205			
75 Asn His L	eu Pro	Val (Gln		Gln	Ile	Val	Glu		Asp	Thr	Asn	Glu
76 210				215		_		_	220			_	_ =
78 Asn Phe G	lu Gly			Phe	Met	Gly	Lys		Cys	Gly	Val	Ser	
79 225			230					235	_	_	_	_	240
81 Val Arg A	la Gly		Ser	Met	GIu	GIn		Leu	Arg	Asp	Cys		Arg
82		245	_		_		250	_	_	~3	~1	255	-1-
84 Ser Val A			Lys	11e	Leu		GIn	Arg	Asp	GIU		Thr	Ala
85	260			~ 1	-	265	D	~ 3	÷	- 1-	270	a 1	7
87 Leu Pro L		Pne	Tyr	GIU		Leu	Pro	GIU	Asp		Ser	GIU	Arg
	75	T	7 ~~	Dwo	280 Mot	T 011	7 J -	mb~	C3	285	C02	ת דת	T10
90 Tyr Val P	пе теп	ьеи .	Asp	295	Met	ьец	Ala	1111	300	GIY	Ser	MIG	TTE
91 290 93 Met Ala T	hr Glu	TeV.	T.O.I		Tare	λνα	Glaz	Val		Dro	Gl 11	Δra	Tle
94 305	III GIU		310	116	пуъ	Arg	Gry	315	цуз	110	Gru	Ar 9	320
96 Tyr Phe L	en Asn			Cvs	Ser	Lvs	Glu		Tle	Glu	Lvs	Tvr	
97	cu IIbii	325		O _I B	502	_,,	330	0-1			-1-	335	
99 Ala Ala P	he Pro		Val	Ara	Ile	Val		Glv	Ala	Leu	Asp	Arq	Gly
								-					-
100	340	,				345)				350	J	
100 102 Leu Asp	340 Glu Asr		Туг	Lev	ı Val			/ Lei	ı Gly	, Asp			/ Asp
102 Leu Asp			Туг	Lev	1 Val	Pro		/ Let	ı Gly	Asp 365	Phe		/ Asp
102 Leu Asp	Glu Asr 355	ı Lys	_	Leu		Pro		/ Let	ı Gly		Phe		/ Asp
102 Leu Asp 103	Glu Asr 355	ı Lys	_	Lev		Pro		/ Let	ı Gly		Phe		/ Asp
102 Leu Asp 103 105 Arg Tyr	Glu Asr 355 Tyr Cys	ı Lys s Val	_	Leu		Pro		/ Let	ı Gly		Phe		/ Asp
102 Leu Asp 103 105 Arg Tyr 106 370	Glu Asr 355 Tyr Cys Q ID NO	n Lys s Val D: 2	_	Leu		Pro		/ Let	ı Gly		Phe		/ Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2	Lys Val C: 2 216			360	Pro	o Gl∑		ı Gly		Phe		/ Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRI GANISM:	Lys Val C: 2 216 C: Sac			360	Pro	o Gl∑		ı Gly		Phe		/ Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE:	Lys Val C: 2 216 C: Sac C: 2	char	comyc	360 ces o	Pro	o Gly	ae		365	Pho Pho	e Gly	
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE:	1 Lys 3 Val 2: 2 16 1: Sac 1: Pro	char Phe	comyc	360 ces o	Pro	o Gly Visia L Tyr	ie : Lei		365	Pho Pho	e Gly	c Asn
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu	1 Lys 3 Val 2: 2 16 C 5 Sac 5 2 1 Pro	char Phe	comyc	360 ces o	Pro	visia Tyr	ae : Lei	ı Lev	365 1 Pro	Pho Pho	e Gly n Thi	r Asn
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu	1 Lys 3 Val 2: 2 16 5 Sac 1 Pro 5 V Leu	char Phe	comyc	360 ces o	Pro cerev	visia Tyr 10 Ser	ae : Lei	ı Lev	365 1 Pro	o Pho 5 o Gli	n Thi 15 r Thi	r Asn
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly	Yal O: 2 216 O: Sac O: 2 O: Pro 5 V Leu	char Phe Tyr	comyc Lys Thr	360 ces o Asr	cerev	visia Tyr 10 e Ser	ae : Let) : Asr	ı Let	365 1 Pro	o Glin Thi	n Thi	Asn Arg
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly Phe Ile	Lys Val C: 2 216 C: Sac C: 2 1 Pro 5 7 Leu C: Phe	char Phe Tyr	comyc Lys Thr	360 ces o Asr Tle	cerev	visia Tyr 10 2 Ser	ae Leu) Asr	ı Lev ı Lys	365 1 Pro S Asi J Let	o Glin Thi	n Thi 15 r Thi O	Asn Arg
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly Phe Ile 35	Lys Val C: 2 216 C: Sac C: 2 1 Pro 5 7 Leu C: Phe	char Phe Tyr	comyc Lys Thr	360 ces o s Ası c Ile Ası 40	cerev l Val e Ile 25 0 Arco	visia Visia Tyr 10 Ser 5	ae Leu) Asr	ı Let ı Lys	365 1 Pros Asi 2 Let 45	o Gli n Thi 31 Let	n Thi 15 r Thi O u Val	Asn Arg
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly	Glu Asr 355 Tyr Cys Q ID NC NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly Phe Ile 35	Lys Val C: 2 216 C: Sac C: 2 1 Pro 5 7 Leu C: Phe	char Phe Tyr	COMYC Lys Thr Ser Pro	360 ces o Asr Ile Asr 40 Val	cerev l Val e Ile 25 0 Arco	visia Visia Tyr 10 Ser 5	ae Leu) Asr	ı Lev ı Ly: e Arç	365 365 Asi 45 45 Val	o Gli n Thi 31 Let	n Thi 15 r Thi O u Val	Asn Arg
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly Phe Ile 35 Leu Asr	No Lys No Val No 2 No Sac No Sac No Sac No Leu No Phe No His	char Phe Tyr Tyr Leu	Comyc Lys Thr Ser Pro	360 ces o Asr Ile Asr 40 Val	cerev Val 25 Arco	visia Visia Tyr 10 E Ser 5 G Ila	e Leu) : Asr e Ile	ı Lev ı Ly: e Arç ı Ile 60	365 Asi 45 Val	o Gli n Th: 30 Lei	n Thi 19 r Thi O u Val	Asn Arg L Glu
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asn	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly Phe Ile 35 Leu Asr	No Lys No Val No 2 No Sac No Sac No Sac No Leu No Phe No His	char Phe Tyr Tyr Leu	Comyone Lyse The Ser Ser Pro	360 ces o Asr Ile Asr 40 Val	cerev Val 25 Arco	visia Visia Tyr 10 E Ser 5 G Ila	e Leu) Asr e Ile s Glr	ı Lev Lys e Arg n Ile 60 : Gly	365 Asi 45 Val	o Gli n Th: 30 Lei	n Thi 19 r Thi O u Val	Asn Arg L Glu Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asn 128 65	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRT GANISM: QUENCE: Ser Glu Leu Gly 20 Phe Ile 35 Leu Asr	No Lys No Val D: 2 216 C: Sac C: 2 1 Pro 5 7 Leu D: Phe In His	char Phe Tyr Tyr Leu Glu	Comycomycomycomycomycomycomycomycomycomyc	360 ces of Asr f Asr f Asr f Val	cerev Val e Ile 25 Arc	visia Visia Tyr 10 E Ser 5 I Lys	ne Lei) Asr e Ile s Glr 75	Let Lys Arg 116 60 G: Gly	365 a Pro s Asi 45 45 v Lys	o Gli i Thi i Lei i Gli i Ile	n Thi 19 r Thi O u Val u Thi	Asn Arg L Glu Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asn 128 65 130 Val Ser	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRT GANISM: QUENCE: Ser Glu Leu Gly 20 Phe Ile 35 Leu Asr	Lys Val C: 2 216 C: Sac C: 2 Leu C: Phe His C: Phe LArg	char Phe Tyr Leu Glu 70 Ala	Comycomycomycomycomycomycomycomycomycomyc	360 ces of Asr f Asr f Asr f Val	cerev Val e Ile 25 Arc	visia Tyr 10 Ser GJ Ile	Let O Asr e Ile S Glr Met 75	Let Lys Arg 116 60 G: Gly	365 a Pro s Asi 45 45 v Lys	o Gli i Thi i Lei i Gli i Ile	n Thi 19 r Thi O u Val u Thi	Asn Arg L Glu Asp S Gly 80 R Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asn 128 65 130 Val Ser 131	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly 20 Phe Ile 35 Leu Asr Glu Asr	Lys Val C: 2 216 C: Sac C: 2 1 Pro Cy Leu C: Phe C Phe C His C Arg 85	char Phe Tyr Tyr Leu 70 Ala	Comyce Lyse Three Ser Ser Ser Gly	360 ces of Asr c Ile c Asr 40 Val v Val	cerev Val e Ile 25 Arg	visia Tyr 10 Ser G Ile Tys C Phe	Let C Asr C Asr C Asr C Glr C Glr	ı Let Lys Arç 1 Ile 60 5 Gly	365 a Pro S Ass 45 45 47 Lys a Gly	o Gli i Thi i Lei i Gli is Ile	n Thi 15 r Thi 0 u Val u Thi e Cys	Asn Arg L Glu Asp 80 Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asn 128 65 130 Val Ser 131 133 Cys Cys	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRI GANISM: QUENCE: Ser Glu Leu Gly 20 Phe Ile 35 Leu Asr Glu Asr	Lys Val D: 2 216 F Sac F Pro De Phe His Phe LArg Val	char Phe Tyr Tyr Leu 70 Ala	Comyce Lyse Three Ser Ser Ser Gly	360 ces of Asr c Ile c Asr 40 Val v Val	cerev Val e Ile 25 Arg	visia	Let C Asr C Asr C Asr C Glr C Glr	ı Let Lys Arç 1 Ile 60 5 Gly	365 a Pro S Ass 45 45 47 Lys a Gly	o Gli i Thi i Lei i Gli is Ile	n Thi 15 r Thi 0 l Val l Thi e Cys l Arg g Asp	Asn Arg L Glu Asp 80 Asp
102 Leu Asp 103 105 Arg Tyr 106 370 109 <210> SE 110 <211> LE 111 <212> TY 112 <213> OR 114 <400> SE 115 Met Ser 116 1 118 Gln Leu 119 121 Pro Asp 122 124 Glu Gly 125 50 127 Thr Asn 128 65 130 Val Ser 131	Glu Asr 355 Tyr Cys Q ID NO NGTH: 2 PE: PRT GANISM: QUENCE: Ser Glu Leu Gly 20 Phe Ile 35 Leu Asr Glu Asr Ile Val Arg Ser 100	Lys Val C: 2 216 C: Sac C: 2 1 Pro 7 Leu C: Phe 1 His 1 Phe 2 85 7 Val	char Phe Tyr Tyr Leu 70 Ala	Tomyce Lyse Through Ser Through Ser	360 ces of Asr Asr 40 Val Val Val Val	cerevin Valle Ile 25 Arcoll Glr Ser 1 Ser	visia	Let Asr E Ile Glr Glr Glr Glr Glr Glr	ı Let Lys Arç Gly Glı I Glı	365 1 Pro 2 Asi 45 4 Val 0 Val 1 Lys 1 Gl 1 Gl 2 Gl 3 Gl	o Gli i Thi i Lei i Lei i Arg	n Thi 15 r Thi 0 l Val l Thi e Cys l Arg 95 g Asp	Asn Arg L Glu Asp S Gly 80 Asp G Asp

RAW SEQUENCE LISTING DATE: 11/28/2006
PATENT APPLICATION: US/10/565,230 TIME: 17:11:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

137			115					120					125			
139	Ser	Glu	Arg	Tyr	Val	Phe	Leu	Leu	Asp	Pro	Met	Leu	Ala	Thr	Gly	Gly
140		130					135					140				
142	Ser	Ala	Ile	Met	Ala	Thr	Glu	Val	Leu	Ile	Lys	Arg	Gly	Val	Lys	Pro
143	145					150					155					160
145	Glu	Arg	Ile	Tyr	Phe	Leu	Asn	Leu	Ile	Cys	Ser	Lys	Glu	Gly	Ile	Glu
146					165					170					175	
148	Lys	Tyr	His	Ala	Ala	Phe	Pro	Glu	Val	Arg	Ile	Val	Thr	Gly	Ala	Leu
149				180					185					190		
151	Asp	Arg	Gly	Leu	Asp	Glu	Asn	Lys	Tyr	Leu	Val	Pro	Gly	Leu	Gly	Asp
152			195					200					205			
154	Phe	Gly	Asp	Arg	Tyr	Tyr	Cys	Val								
155		210					215									

VERIFICATION SUMMARY

DATE: 11/28/2006 TIME: 17:11:38

PATENT APPLICATION: US/10/565,230

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\11282006\J565230.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date

Raw Sequence Listing before editing (for reference only)



IFWO

RAW SEQUENCE LISTING DATE: 11/24/2006 PATENT APPLICATION: US/10/565,230 TIME: 13:35:37

Input Set : A:\PTO DA.txt -

Output Set: N:\CRF4\11242006\J565230.raw

3 <110> APPLICANT: TRANSGENE SA 4 ERBS, Philippe 6 <120> TITLE OF INVENTION: Polypeptide having an improved Cytosine deaminase activity 9 <130> FILE REFERENCE: D21447 C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/565,230 C--> 12 <141> CURRENT FILING DATE: 2006-01-20 14 <150> PRIOR APPLICATION NUMBER: US 60/508 274 15 <151> PRIOR FILING DATE: 2003-10-06 17 <150> PRIOR APPLICATION NUMBER: EP 03/360 087 Does Not Comply Comply Diskette Needed 18 <151> PRIOR FILING DATE: 2003-07-21 20 <160> NUMBER OF SEQ ID NOS: 2 22 <170> SOFTWARE: PatentIn Ver. 2.1

ERRORED SEQUENCES

109 <210> SEO ID NO: 2 110 <211> LENGTH: 216 111 <212> TYPE: PRT 112 <213> ORGANISM: Saccharomyces cerevisiae 114 <400> SEQUENCE: 2 115 Met Ser Ser Glu Pro Phe Lys Asn Val Tyr Leu Leu Pro Gln Thr Asn 118 Gln Leu Leu Gly Leu Tyr Thr Ile Ile Ser Asn Lys Asn Thr Thr Arg 20 25 121 Pro Asp Phe Ile Phe Tyr Ser Asp Arg Ile Ile Arg Leu Leu Val Glu 124 Glu Gly Leu Asn His Leu Pro Val Gln Lys Gln Ile Val Glu Thr Asp 55 127 Thr Asn Glu Asn Phe Glu Gly Val Ser Phe Met Gly Lys Ile Cys Gly 70 130 Val Ser Ile Val Arg Ala Gly Glu Ser Met Glu Gln Gly Leu Arg Asp 90 85 133 Cys Cys Arg Ser Val Arg Ile Gly Lys Ile Leu Ile Gln Arg Asp Glu 105 136 Glu Thr Ala Leu Pro Lys Leu Phe Tyr Glu Lys Leu Pro Glu Asp Ile 137 115 120 139 Ser Glu Arg Tyr Val Phe Leu Leu Asp Pro Met Leu Ala Thr Gly Gly 135 142 Ser Ala Ile Met Ala Thr Glu Val Leu Ile Lys Arg Gly Val Lys Pro 150

145 Glu Arg Ile Tyr Phe Leu Asn Leu Ile Cys Ser Lys Glu Gly Ile Glu

RAW SEQUENCE LISTING DATE: 11/24/2006
PATENT APPLICATION: US/10/565,230 TIME: 13:35:37

and the second s

Input Set : A:\PTO.DA.txt

Output Set: N:\CRF4\11242006\J565230.raw

Same Same

VERIFICATION SUMMARYDATE: 11/24/2006PATENT APPLICATION: US/10/565,230TIME: 13:35:38

Input Set : A:\PTO.DA.txt

.

Output Set: N:\CRF4\11242006\J565230.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application Number

L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date

and the second second

L:163 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:2